

Hydrazine Sulfate, Crystal
BAKER ANALYZED® A.C.S. Reagent



Material No.: 2177-01
Batch No.: 0000091290
Manufactured Date: 2014/09/09
Retest Date: 2021/09/07

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay ((NH ₂) ₂ · H ₂ SO ₄)	>= 99.0 %	99.2
ACS – Insoluble Matter	<= 0.005 %	< 0.001
Residue after Ignition	<= 0.020 %	< 0.001
ACS – Chloride (Cl)	<= 0.001 %	0.001
Heavy Metals (as Pb)	<= 0.001 %	0.001
Trace Impurities – Iron (Fe)	<= 0.001 %	< 0.001

For Laboratory, Research or Manufacturing Use
Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: US
Packaging Site: Paris Mfg Ctr & DC



Phillipsburg, NJ 9001:2008, 14001:2004
Paris, KY 9001:2008
Mexico City, Mexico 9001:2008
Deventer, The Netherlands 9001:2008, 14001:2004, 13485:2003
Gliwice, Poland 9001:2008, 17025:2005
Selangor, Malaysia 9001:2008
Dehradun, India, 9001:2008, 14001:2004, 13485:2003
Mumbai, India, 9001:2008, 17025:2005
Panoli, India 9001:2008

Richard M Siberski
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.573.2600
Avantor™ Performance Materials Inc.

3477 Corporate Parkway, Suite #200, Center Valley, PA 18034, U.S.A. Phone: 610.573.2600 . Fax: 610.573.2610